

## Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

### Moss Vale

report date 07 Nov 2018

Yarding Change 508  
-87

comparison date 31/10/2018

A reduction in numbers for a total yarding of 508 plainer quality cattle. There was over 80 cows, a few good lines of trade yearlings, 23 calves and a large percentage of secondary type cattle. All usual buyers were operating, selling to a mostly cheaper trend due to the breeds and lower quality presented.

The limited supply of vealers to the butchers were firm to slightly cheaper, with the best reaching 300c/kg. Trade yearling steers were up to 22c cheaper, selling from 255c to 320c/kg. Trade yearling heifers to processors were firm for the higher yielding and desired finished types, topping at 300c and up to 19c/kg cheaper for the plainer types, to average 258c/kg. The limited supply of yearlings to suit feeder orders were much cheaper, due to the quality, with the steers averaging 255c and the heifers averaging 231c/kg. Light weight weaner steers suiting restockers were firm to 2c dearer for the better quality and up to 19c cheaper for the plainer types, ranging from 160c to 303c/kg. Weaner heifers returning to the paddock, were much cheaper, due to the breeds and quality, selling from 149c to 244c/kg.

There were not enough grown steers or heifers to quote. Lighter D2 cows were up to 10c dearer ranging from 171c to 197c/kg. The heavier 3 score cows were 7c cheaper, topping at 229c to average 211c/kg. The best heavy weight bull reached 238c/kg. Cows and calves made up to \$1,050/unit.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>														
Undefined		C	3	1	315.0	- 315.0	315.0	N/Q	573	- 573	573	1071	- 1071	1071
0-80		C	2	3	120.0	- 220.0	180.0	-10	231	- 423	349	78	- 176	131
80+		C	2	17	170.0	- 285.0	219.6	-70	333	- 548	425	170	- 328	231
	RS	C	2	1	199.0	- 199.0	199.0	N/Q	-	-	-	229	- 229	229
	RS	D	1	1	40.0	- 40.0	40.0	N/Q	-	-	-	42	- 42	42
				<b>23</b>	<b>40.0</b>	<b>315.0</b>			<b>231</b>	<b>573</b>		<b>42</b>	<b>1071</b>	
<b>Vealer Steer</b>														
0-200		B	1	1	244.0	- 244.0	244.0	N/Q	452	- 452	452	317	- 317	317
	RS	B	1	2	229.0	- 264.0	246.5	N/Q	-	-	-	424	- 515	469
	RS	C	1	5	230.0	- 230.0	230.0	-43	-	-	-	437	- 437	437
	RS	C	2	10	210.0	- 300.0	276.4	2	-	-	-	399	- 600	539
		C	2	1	210.0	- 210.0	210.0	N/Q	396	- 396	396	189	- 189	189
200-280	RS	B	2	1	280.0	- 280.0	280.0	N/Q	-	-	-	728	- 728	728
	RS	C	1	15	261.0	- 266.0	261.3	26	-	-	-	652	- 705	701
	RS	C	2	45	160.0	- 303.0	259.9	-19	-	-	-	376	- 784	633
	FD	C	2	2	296.0	- 319.0	307.5	N/Q	-	-	-	813	- 814	814
	RS	D	1	1	180.0	- 180.0	180.0	N/Q	-	-	-	414	- 414	414
280-330	RS	C	2	2	273.0	- 273.0	273.0	N/Q	-	-	-	819	- 819	819
	FD	C	2	2	299.0	- 299.0	299.0	N/Q	-	-	-	897	- 897	897
330+		C	3	1	300.0	- 300.0	300.0	N/Q	556	- 556	556	1020	- 1020	1020
				<b>88</b>	<b>160.0</b>	<b>319.0</b>			<b>396</b>	<b>556</b>		<b>189</b>	<b>1020</b>	
<b>Vealer Heifer</b>														
0-200		C	2	1	220.0	- 220.0	220.0	N/Q	415	- 415	415	418	- 418	418
	RS	C	2	2	180.0	- 190.0	185.0	N/Q	-	-	-	306	- 371	338
	RS	D	1	4	119.0	- 119.0	119.0	-43	-	-	-	202	- 202	202

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head				
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg		
200-280	RS	C	1	23	149.0	- 231.0	209.4	-11	-	-	-	313	-	616	508	
	RS	C	2	54	178.0	- 243.0	219.5	-17	-	-	-	374	-	680	552	
		C	3	6	240.0	- 270.0	255.0	-5	462	-	509	489	636	-	756	687
	RS	D	1	1	190.0	- 190.0	190.0	N/Q	-	-	-	399	-	399	399	
280-330	RS	C	2	1	244.0	- 244.0	244.0	N/Q	-	-	-	708	-	708	708	
		C	3	3	290.0	- 299.0	294.7	-1	547	-	567	560	856	-	870	864
				<b>95</b>	<b>119.0</b>	<b>299.0</b>			<b>415</b>	<b>567</b>		<b>202</b>	<b>870</b>			
<b>Yearling Steer</b>																
200-280	RS	C	2	2	210.0	- 210.0	210.0	N/Q	-	-	-	588	-	588	588	
280-330	RS	C	1	5	230.0	- 258.0	252.4	N/Q	-	-	-	690	-	826	798	
	RS	C	2	7	177.0	- 280.0	229.1	N/Q	-	-	-	522	-	896	710	
		C	2	1	285.0	- 285.0	285.0	N/Q	538	-	538	538	926	-	926	926
	FD	C	2	1	270.0	- 270.0	270.0	N/Q	-	-	-	810	-	810	810	
		C	3	1	255.0	- 255.0	255.0	N/Q	481	-	481	481	765	-	765	765
330-400	RS	C	1	1	240.0	- 240.0	240.0	N/Q	-	-	-	948	-	948	948	
	RS	C	2	8	240.0	- 275.0	252.3	-41	-	-	-	850	-	949	910	
	FD	C	2	12	243.0	- 292.0	255.3	-55	-	-	-	907	-	1153	960	
		C	3	4	270.0	- 318.0	297.0	2	509	-	589	552	945	-	1224	1097
		D	2	1	190.0	- 190.0	190.0	N/Q	365	-	365	365	751	-	751	751
400+	FD	C	2	5	250.0	- 250.0	250.0	-36	-	-	-	1050	-	1050	1050	
		C	2	1	240.0	- 240.0	240.0	N/Q	453	-	453	453	1104	-	1104	1104
		C	3	26	239.0	- 320.0	265.3	-22	443	-	593	495	968	-	1523	1233
				<b>75</b>	<b>177.0</b>	<b>320.0</b>			<b>365</b>	<b>593</b>		<b>522</b>	<b>1523</b>			
<b>Yearling Heifer</b>																
200-280	RS	D	1	3	160.0	- 160.0	160.0	7	-	-	-	384	-	384	384	
280-330	RS	C	1	1	174.0	- 174.0	174.0	N/Q	-	-	-	505	-	505	505	
	RS	C	2	12	228.0	- 240.0	234.7	N/Q	-	-	-	707	-	756	724	
		C	2	1	224.0	- 224.0	224.0	N/Q	423	-	423	423	739	-	739	739
	FD	C	2	1	200.0	- 200.0	200.0	N/Q	-	-	-	570	-	570	570	
	FD	C	3	5	225.0	- 230.0	226.0	N/Q	-	-	-	743	-	748	744	
		C	3	1	230.0	- 230.0	230.0	N/Q	442	-	442	442	748	-	748	748
330-400	FD	C	2	5	234.0	- 240.0	235.2	-17	-	-	-	866	-	900	873	
		C	3	5	210.0	- 300.0	258.0	-25	404	-	556	488	819	-	1185	978
		D	2	1	179.0	- 179.0	179.0	N/Q	351	-	351	351	680	-	680	680
400+	FD	C	2	1	240.0	- 240.0	240.0	N/Q	-	-	-	1080	-	1080	1080	
	FD	C	3	3	245.0	- 245.0	245.0	N/Q	-	-	-	1029	-	1029	1029	
		C	3	8	230.0	- 297.0	259.8	-52	434	-	550	489	989	-	1218	1127
				<b>47</b>	<b>160.0</b>	<b>300.0</b>			<b>351</b>	<b>556</b>		<b>384</b>	<b>1218</b>			
<b>Grown Steer</b>																
500-600	DA	D	1	6	201.0	- 201.0	201.0	N/Q	419	-	419	419	1085	-	1085	1085
600-750	DA	D	2	2	208.0	- 208.0	208.0	N/Q	433	-	433	433	1310	-	1310	1310
				<b>8</b>	<b>201.0</b>	<b>208.0</b>			<b>419</b>	<b>433</b>		<b>1085</b>	<b>1310</b>			
<b>Grown Heifer</b>																
0-540		C	1	2	166.0	- 180.0	173.0	N/Q	346	-	375	360	481	-	594	538
		C	3	1	236.0	- 236.0	236.0	N/Q	445	-	445	445	1204	-	1204	1204

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
540+		C	3	3	252.0	- 252.0	252.0	-3	485	- 485	485	1487	- 1487	1487
				<b>6</b>	<b>166.0</b>	<b>252.0</b>			<b>346</b>	<b>485</b>		<b>481</b>	<b>1487</b>	
<b>Manufacturing Steer</b>														
0-540		C	1	3	160.0	- 160.0	160.0	-31	314	- 314	314	496	- 496	496
				<b>3</b>	<b>160.0</b>	<b>160.0</b>			<b>314</b>	<b>314</b>		<b>496</b>	<b>496</b>	
<b>Cows</b>														
0-400		D	2	6	171.0	- 184.0	178.3	13	380	- 418	401	573	- 708	644
400-520		D	1	2	165.0	- 180.0	172.5	N/Q	367	- 400	383	710	- 756	733
		D	2	33	171.0	- 197.0	183.9	10	380	- 438	411	752	- 965	851
		D	3	5	200.0	- 213.0	207.6	6	444	- 467	457	980	- 1092	1051
520+		D	2	8	188.0	- 198.0	192.0	2	418	- 440	427	1002	- 1049	1025
	DA	D	2	4	192.0	- 202.0	199.5	22	427	- 459	451	1075	- 1192	1163
		D	3	26	190.0	- 229.0	211.6	-7	422	- 496	460	1061	- 1420	1166
		D	4	7	188.0	- 227.0	214.9	-13	427	- 494	470	1109	- 1376	1221
				<b>91</b>	<b>165.0</b>	<b>229.0</b>			<b>367</b>	<b>496</b>		<b>573</b>	<b>1420</b>	
<b>Bulls</b>														
0-450		B	1	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	407	- 407	407
		C	1	1	170.0	- 170.0	170.0	N/Q	327	- 327	327	485	- 485	485
		C	2	5	160.0	- 220.0	187.8	-32	302	- 408	353	464	- 724	598
	RS	C	2	1	160.0	- 160.0	160.0	N/Q		-		352	- 352	352
450-600		C	1	1	209.0	- 209.0	209.0	N/Q	387	- 387	387	1087	- 1087	1087
600+		B	2	1	238.0	- 238.0	238.0	N/Q	425	- 425	425	1809	- 1809	1809
		C	1	1	211.0	- 211.0	211.0	N/Q	384	- 384	384	1540	- 1540	1540
				<b>11</b>	<b>160.0</b>	<b>238.0</b>			<b>302</b>	<b>425</b>		<b>352</b>	<b>1809</b>	

#### Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross  
FD: Feeder DP: Dorper

#### Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.