

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Moss Vale

report date 09 May 2018

Yarding Change 1740
-400

comparison date 02/05/2018

Consignments declined compared to the previous market, however the quality overall improved. The bulk were younger cattle with the majority suitable for the restockers and feeder orders, with numbers of high yielding prime conditioned pens also offered. There were around 270 cows in the penning and the usual buyers competed in a dearer market.

The over 200kg vealer steers returning to the paddock improved 15c, making from 216c to 309c/kg. The same weight heifer portion to the restockers lifted 10c to make from 190c to 270c/kg. The medium and heavy weight yearling steers to the lot feeders lifted from 6c to 10c, with the medium weights making from 219c to 286c/kg. The heifer portion also to the feeder orders gained 2c and sold from 210c to 267c/kg. The prime conditioned younger cattle to the trade sold to solid competition with the better shaped pens topping at 366c/kg.

Heavy weight grown steers to slaughter gained 15c, making from 235c to 274c, with the grown heifers topping at 267c/kg. The plainer cows to the processors lifted 17c and sold between 121c and 165c/kg. The better covered heavy weights improved 6c to make from 158c to 185c, while the heavy weight bulls reached 227c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80	RS	C	1	2	160.0	- 260.0	210.0	N/Q	-			112	- 195	154
80+	RS	C	1	11	171.0	- 320.0	232.4	N/Q	-			214	- 352	251
		C	1	5	200.0	- 300.0	232.0	N/Q	400	- 600	464	240	- 300	255
				18	160.0	320.0			400	600		112	352	
Vealer Steer														
0-200	RS	C	1	5	171.0	- 200.0	182.6	N/Q	-			284	- 330	302
	RS	C	2	15	210.0	- 280.0	239.7	2	-			388	- 546	448
200-280	RS	C	2	269	216.0	- 309.0	267.2	17	-			455	- 813	664
		C	2	2	245.0	- 262.0	253.5	N/Q	462	- 504	483	674	- 702	688
	FD	C	2	1	255.0	- 255.0	255.0	N/Q	-			676	- 676	676
		C	3	1	290.0	- 290.0	290.0	N/Q	537	- 537	537	812	- 812	812
	RS	D	2	2	171.0	- 180.0	175.5	N/Q	-			376	- 423	400
280-330	RS	C	2	81	248.0	- 281.0	272.5	10	-			719	- 846	816
	FD	C	2	1	240.0	- 240.0	240.0	N/Q	-			684	- 684	684
		C	2	1	260.0	- 260.0	260.0	N/Q	500	- 500	500	780	- 780	780
		C	3	8	277.0	- 325.0	285.3	N/C	513	- 591	527	803	- 943	884
				386	171.0	325.0			462	591		284	943	
Vealer Heifer														
0-200	RS	C	2	9	172.0	- 215.0	195.6	-8	-			327	- 430	373
200-280	RS	C	2	109	190.0	- 270.0	233.8	10	-			393	- 702	569
	FD	C	2	3	260.0	- 260.0	260.0	14	-			723	- 723	723
		C	2	8	209.0	- 265.0	249.4	4	402	- 506	476	439	- 710	646
		C	3	9	264.0	- 300.0	278.4	6	489	- 556	516	702	- 840	759
280-330		C	2	1	255.0	- 255.0	255.0	N/Q	490	- 490	490	727	- 727	727
	FD	C	2	6	267.0	- 267.0	267.0	7	-			769	- 769	769
	RS	C	2	1	250.0	- 250.0	250.0	N/Q	-			738	- 738	738

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
		C	3	2	293.0	- 319.0	306.0	N/Q	543	- 580	561	879	- 941	910
				148	172.0	319.0			402	580		327	941	
Yearling Steer														
200-280	RS	C	2	1	210.0	- 210.0	210.0	N/Q	-			588	- 588	588
	RS	D	2	1	130.0	- 130.0	130.0	N/Q	-			332	- 332	332
280-330	FD	C	2	14	245.0	- 280.0	265.9	N/Q	-			760	- 896	828
		C	2	1	270.0	- 270.0	270.0	N/Q	519	- 519	519	891	- 891	891
	RS	C	2	19	237.0	- 277.0	270.3	N/Q	-			747	- 888	842
		C	3	3	270.0	- 290.0	278.3	10	500	- 537	515	824	- 957	887
330-400	FD	C	2	99	219.0	- 286.0	274.2	6	-			734	- 1124	995
	RS	C	2	2	240.0	- 240.0	240.0	N/Q	-			821	- 821	821
		C	3	10	260.0	- 366.0	299.7	3	482	- 654	548	969	- 1410	1115
	FD	C	3	6	270.0	- 288.0	276.0	N/Q	-			940	- 1152	1010
	RS	D	2	1	145.0	- 145.0	145.0	N/Q	-			486	- 486	486
400+		B	3	1	357.0	- 357.0	357.0	N/Q	638	- 638	638	1499	- 1499	1499
	FD	C	2	83	260.0	- 290.0	281.1	10	-			1110	- 1312	1224
		C	3	20	256.0	- 357.0	286.0	3	474	- 649	527	1139	- 1517	1279
				261	130.0	366.0			474	654		332	1517	
Yearling Heifer														
200-280	RS	C	2	1	235.0	- 235.0	235.0	N/Q	-			646	- 646	646
280-330	RS	C	2	7	210.0	- 263.0	244.9	N/Q	-			599	- 818	747
		C	2	2	210.0	- 220.0	215.0	N/Q	412	- 423	417	609	- 638	624
	FD	C	2	11	180.0	- 258.0	235.0	-11	-			540	- 792	714
		C	3	8	242.0	- 290.0	269.6	N/Q	448	- 537	499	698	- 928	830
	RS	D	2	2	150.0	- 170.0	160.0	N/Q	-			473	- 510	491
330-400	RS	C	2	2	242.0	- 242.0	242.0	N/Q	-			908	- 908	908
	FD	C	2	83	210.0	- 267.0	253.3	2	-			714	- 1035	954
		C	2	1	211.0	- 211.0	211.0	N/Q	406	- 406	406	739	- 739	739
		C	3	19	270.0	- 360.0	288.4	28	500	- 655	532	942	- 1371	1032
400+		B	2	1	272.0	- 272.0	272.0	N/Q	495	- 495	495	1306	- 1306	1306
		B	3	1	353.0	- 353.0	353.0	N/Q	630	- 630	630	1641	- 1641	1641
	FD	C	2	18	200.0	- 260.0	240.2	-4	-			810	- 1113	1015
	FD	C	3	1	255.0	- 255.0	255.0	N/Q	-			1097	- 1097	1097
		C	3	4	236.0	- 265.0	245.5	-12	437	- 491	455	1041	- 1312	1163
		D	3	1	190.0	- 190.0	190.0	N/Q	365	- 365	365	779	- 779	779
				162	150.0	360.0			365	655		473	1641	
Grown Steer														
0-400		C	2	1	180.0	- 180.0	180.0	N/Q	346	- 346	346	702	- 702	702
	RS	C	2	2	170.0	- 170.0	170.0	N/Q	-			666	- 666	666
		C	3	1	220.0	- 220.0	220.0	N/Q	407	- 407	407	847	- 847	847
400-500	FD	C	1	5	158.0	- 158.0	158.0	N/Q	-			711	- 711	711
	FD	C	2	4	257.0	- 278.0	272.8	17	-			1187	- 1246	1202
		C	2	7	220.0	- 258.0	247.4	N/Q	423	- 496	476	990	- 1213	1146
	FD	C	3	4	210.0	- 230.0	220.0	N/Q	-			945	- 1035	990
500-600		C	2	6	180.0	- 220.0	201.8	N/Q	346	- 423	388	954	- 1166	1076

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
600-750		C	3	44	240.0	- 274.0	265.4	32	444	- 507	491	1296	- 1512	1436
		C	3	2	235.0	- 235.0	235.0	N/Q	435	- 435	435	1434	- 1434	1434
			76		158.0	278.0		346	507		666	1512		
Grown Heifer														
0-540		C	2	9	165.0	- 185.0	181.1	N/Q	344	- 391	379	665	- 777	749
	RS	C	2	8	165.0	- 245.0	235.0	42		-		635	- 1019	971
		C	3	14	185.0	- 267.0	241.2	45	370	- 504	458	925	- 1442	1185
540+		C	3	7	228.0	- 240.0	236.9	7	434	- 462	454	1320	- 1403	1339
			38		165.0	267.0		344	504		635	1442		
Cows														
0-400		D	1	20	100.0	- 135.0	124.3	20	263	- 346	325	357	- 513	454
		E	1	1	80.0	- 80.0	80.0	N/Q	216	- 216	216	272	- 272	272
400-520		C	2	6	172.0	- 172.0	172.0	N/Q	366	- 366	366	774	- 774	774
		C	3	1	189.0	- 189.0	189.0	N/Q	378	- 378	378	869	- 869	869
	RS	D	1	20	142.0	- 152.0	151.5	N/Q		-		596	- 684	680
		D	1	61	121.0	- 150.0	141.2	17	318	- 375	354	508	- 666	608
		D	2	59	148.0	- 165.0	155.8	19	344	- 375	362	638	- 792	713
		D	3	8	160.0	- 164.0	162.8	14	340	- 349	346	736	- 820	806
520+		C	3	1	185.0	- 185.0	185.0	N/Q	370	- 370	370	1110	- 1110	1110
		D	2	15	146.0	- 165.0	161.3	21	340	- 375	370	767	- 891	863
		D	3	47	158.0	- 174.0	166.0	6	335	- 363	347	837	- 1079	957
		D	4	24	152.0	- 168.0	165.8	6	323	- 350	346	836	- 1075	1022
			263		80.0	189.0		216	378		272	1110		
Bulls														
0-450		C	3	1	250.0	- 250.0	250.0	N/Q	463	- 463	463	825	- 825	825
450-600		C	1	5	140.0	- 167.0	156.2	-6	269	- 321	300	637	- 835	775
		C	2	2	190.0	- 230.0	210.0	N/Q	346	- 411	378	1074	- 1369	1221
600+		B	2	1	227.0	- 227.0	227.0	N/Q	398	- 398	398	1407	- 1407	1407
		C	2	10	190.0	- 220.0	201.1	N/Q	339	- 393	361	1271	- 1840	1576
			19		140.0	250.0		269	463		637	1840		

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.