

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Moss Vale

report date 10 Oct 2018

Yarding Change 503
-298

comparison date 03/10/2018

Welcome and significant rainfall contributed to a reduction in numbers for a total yarding of 503 mixed quality cattle. Cow numbers halved, there was some good lines of B muscled grain assisted trade yearlings and still a large number of plainer, unfinished younger cattle. The cow market was dearer, trade cattle firm to slightly cheaper and restocker cattle varied depending on breed, quality and finish.

The limited number of vealers topped at 298c/kg. Trade yearling steers were firm to 7c dearer, ranging from 230c to 337c/kg. Yearling heifers to processors varied greatly, with the 280-330kgs dearer averaging 275c and the heavy weights up to 13c cheaper to average 263c/kg. Feeder steers were cheaper making from 240c to 277c and the heifers to feed were also cheaper ranging from 177c to 257c/kg. Light weight restocker steers were cheaper, a reflection on quality, making 160c to 270c and the weaner heifers returning to the paddock varied, dearer for the light weights and cheaper for those over 200kgs, selling from 145c to 214c/kg.

There were not enough grown steers or heifers to quote. D2 cows were up to 17c dearer to average 165c and the heavy 3 score cows were also dearer to average 194c/kg. The best heavy weight bull reached 249c/kg. Cows and young calves topped at \$1,100/unit.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
0-80		C	2	1	120.0	- 120.0	120.0	N/Q	226	- 226	226	72	- 72	72
80+	RS	C	1	2	150.0	- 162.0	156.0	N/Q				165	- 178	172
		C	2	5	141.0	- 180.0	155.2	-74	266	- 340	291	158	- 217	189
				8	120.0	180.0			226	340		72	217	
Vealer Steer														
0-200	RS	C	1	8	160.0	- 227.0	198.9	56				220	- 378	310
	RS	C	2	9	185.0	- 204.0	196.1	-4				278	- 394	339
	RS	D	1	9	170.0	- 194.0	185.8	N/Q				221	- 359	320
200-280	FD	C	1	5	239.0	- 244.0	242.0	22				633	- 683	663
	RS	C	1	6	161.0	- 221.0	185.0	-70				330	- 475	386
	RS	C	2	3	209.0	- 270.0	249.7	5				533	- 729	664
	FD	C	2	3	231.0	- 231.0	231.0	N/Q				601	- 601	601
		C	2	1	239.0	- 239.0	239.0	N/Q	443	- 443	443	621	- 621	621
280-330	RS	C	2	6	282.0	- 282.0	282.0	N/Q				804	- 804	804
				50	160.0	282.0			443	443		220	804	
Vealer Heifer														
0-200	RS	C	1	11	145.0	- 191.0	172.8	33				225	- 363	304
	RS	C	2	7	170.0	- 192.0	173.4	N/Q				272	- 336	296
200-280	RS	C	1	6	177.0	- 177.0	177.0	-10				407	- 407	407
	FD	C	1	17	190.0	- 221.0	206.4	N/Q				485	- 564	526
	FD	C	2	5	232.0	- 243.0	234.2	N/Q				650	- 680	656
	RS	C	2	1	214.0	- 214.0	214.0	N/Q				492	- 492	492
		C	3	2	240.0	- 271.0	255.5	N/Q	462	- 511	486	660	- 745	703
280-330	FD	C	2	12	226.0	- 237.0	230.8	7				644	- 711	676
		C	3	7	258.0	- 298.0	277.9	-7	487	- 552	521	813	- 925	849

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				68	145.0	298.0			462	552		225	925	
Yearling Steer														
200-280	FD	C	1	4	239.0	- 239.0	239.0	N/Q	-			669	- 669	669
	RS	C	1	3	199.0	- 199.0	199.0	N/Q	-			517	- 517	517
	RS	C	2	2	230.0	- 230.0	230.0	N/Q	-			621	- 621	621
	DA	D	1	13	121.0	- 147.0	135.0	N/Q	252	- 294	275	309	- 390	352
280-330		B	3	1	325.0	- 325.0	325.0	N/Q	602	- 602	602	1073	- 1073	1073
	RS	C	1	17	167.0	- 256.0	209.3	20	-			501	- 794	632
	RS	C	2	10	205.0	- 275.0	251.7	22	-			646	- 908	814
	FD	C	2	7	240.0	- 277.0	260.0	-33	-			759	- 859	796
		C	3	2	300.0	- 331.0	315.5	N/Q	566	- 613	590	960	- 1059	1010
330-400		B	3	5	327.0	- 337.0	329.6	7	595	- 624	608	1135	- 1279	1193
		C	2	1	255.0	- 255.0	255.0	N/Q	472	- 472	472	956	- 956	956
	FD	C	2	25	250.0	- 277.0	267.2	-9	-			850	- 1055	997
		C	3	6	230.0	- 320.0	283.2	2	434	- 593	528	817	- 1114	998
	DA	D	1	1	150.0	- 150.0	150.0	N/Q	300	- 300	300	548	- 548	548
400+	FD	C	1	1	255.0	- 255.0	255.0	N/Q	-			1046	- 1046	1046
	FD	C	2	8	273.0	- 273.0	273.0	N/Q	-			1133	- 1242	1215
		C	3	2	280.0	- 281.0	280.5	N/Q	519	- 520	519	1194	- 1232	1213
	FD	C	3	4	255.0	- 255.0	255.0	N/Q	-			1148	- 1148	1148
				112	121.0	337.0			252	624		309	1279	
Yearling Heifer														
200-280	RS	C	1	6	173.0	- 206.0	200.5	N/Q	-			381	- 577	544
	FD	C	2	1	233.0	- 233.0	233.0	N/Q	-			652	- 652	652
280-330		B	3	1	300.0	- 300.0	300.0	N/Q	566	- 566	566	975	- 975	975
	FD	C	1	4	177.0	- 185.0	183.0	-33	-			513	- 611	586
	RS	C	1	1	160.0	- 160.0	160.0	N/Q	-			496	- 496	496
	RS	C	2	5	200.0	- 214.0	211.2	-7	-			620	- 696	680
		C	2	1	210.0	- 210.0	210.0	N/Q	404	- 404	404	672	- 672	672
	FD	C	2	28	211.0	- 253.0	226.8	7	-			665	- 822	709
	FD	C	3	1	248.0	- 248.0	248.0	N/Q	-			769	- 769	769
		C	3	6	270.0	- 288.0	275.5	24	509	- 543	521	824	- 936	891
		C	4	1	210.0	- 210.0	210.0	N/Q	412	- 412	412	630	- 630	630
330-400	FD	C	1	2	205.0	- 210.0	207.5	N/Q	-			728	- 746	737
		C	2	1	160.0	- 160.0	160.0	N/Q	314	- 314	314	552	- 552	552
	FD	C	2	27	217.0	- 257.0	242.0	13	-			770	- 1028	889
		C	3	37	240.0	- 312.0	263.1	-13	453	- 589	495	854	- 1186	986
		D	1	1	170.0	- 170.0	170.0	N/Q	333	- 333	333	578	- 578	578
400+	FD	C	2	2	244.0	- 244.0	244.0	N/Q	-			988	- 988	988
		C	2	2	180.0	- 180.0	180.0	N/Q	346	- 346	346	729	- 729	729
		C	3	6	242.0	- 251.0	248.3	4	465	- 481	473	1005	- 1077	1034
				133	160.0	312.0			314	589		381	1186	
Grown Steer														
400-500	DA	D	3	2	200.0	- 200.0	200.0	N/Q	400	- 400	400	980	- 980	980
500-600		C	3	5	260.0	- 268.0	266.4	23	482	- 515	509	1554	- 1560	1556

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
				7	200.0	268.0			400	515		980	1560	
Grown Heifer														
0-540		C	2	6	158.0	- 180.0	171.3	12	321	- 375	346	612	- 810	711
		C	3	4	200.0	- 229.0	219.0	16	385	- 437	419	740	- 1134	876
540+		C	3	1	254.0	- 254.0	254.0	N/Q	479	- 479	479	1499	- 1499	1499
				11	158.0	254.0			321	479		612	1499	
Manufacturing Steer														
0-540		C	1	1	190.0	- 190.0	190.0	N/Q	365	- 365	365	656	- 656	656
				1	190.0	190.0			365	365		656	656	
Cows														
0-400		D	1	1	162.0	- 162.0	162.0	N/Q	360	- 360	360	599	- 599	599
400-520		D	1	2	155.0	- 155.0	155.0	N/Q	344	- 344	344	682	- 682	682
		D	2	16	155.0	- 180.0	165.6	17	344	- 391	365	651	- 894	770
		D	3	4	170.0	- 211.0	188.0	29	370	- 449	406	782	- 1034	892
520+		C	3	1	225.0	- 225.0	225.0	N/Q	469	- 469	469	1463	- 1463	1463
		D	2	3	170.0	- 178.0	172.7	18	362	- 387	370	901	- 943	915
		D	3	25	176.0	- 218.0	194.5	11	383	- 464	415	933	- 1428	1093
		D	4	3	205.0	- 218.0	213.7	47	436	- 464	451	1230	- 1439	1340
				55	155.0	225.0			344	469		599	1463	
Bulls														
0-450		B	1	6	160.0	- 334.0	222.0	N/Q	302	- 619	413	552	- 1353	791
		B	2	2	210.0	- 289.0	249.5	N/Q	389	- 535	462	723	- 798	760
		C	2	2	170.0	- 210.0	190.0	N/Q	315	- 389	352	723	- 830	776
		C	3	1	234.0	- 234.0	234.0	N/Q	433	- 433	433	784	- 784	784
450-600		B	1	1	280.0	- 280.0	280.0	N/Q	519	- 519	519	1274	- 1274	1274
	DA	C	1	1	160.0	- 160.0	160.0	N/Q	308	- 308	308	808	- 808	808
		C	2	1	180.0	- 180.0	180.0	N/Q	333	- 333	333	846	- 846	846
600+		B	1	1	249.0	- 249.0	249.0	N/Q	437	- 437	437	2490	- 2490	2490
		B	2	7	200.0	- 238.0	224.9	N/C	357	- 425	403	1430	- 2713	1865
				22	160.0	334.0			302	619		552	2713	

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.