

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Moss Vale

report date 12 Sep 2018

Yarding Change 860
-20

comparison date 05/09/2018

Similar numbers to last week for a total yarding of 860 good quality cattle. There was 140 cows, excellent lines of supplementary trade yearlings and some good lines of feeder steers and heifers. There was no vealers suitable for the trade. All usual buyers were operating, selling to a dearer trend across all categories.

Yearling steers to the trade were dearer across all weights, with B muscled lighter weights topping at 341c, the middle weights sold from 260c to 340c and those weighing over 400kg sold from 240c to 316c/kg. Yearling heifers to processors were 20c to 31c dearer, ranging from 239c to 339c/kg. Heavy weight feeder steers were up to 21c dearer, averaging 290c/kg. Middle weight yearling heifers to feed were also dearer, ranging from 219c to 278c/kg. Weaner steers to suit restockers were much dearer, with the improved quality selling from 140c to 262c and young heifers returning to the paddock were up to 46c dearer for those under 200kg and 25c/kg dearer for those over 200kg.

Grown steers were dearer selling from 280c to 299c/kg. There was not enough grown heifers to quote. Middle weight D1 cows were dearer, averaging 154c, and the D2 cows were firm to 2c easier to average 158c/kg. Heavy weight 3 score cows were up to 15c dearer, to average 224c/kg. The best heavy weight bull reached 319c/kg. Angus cows and calves sold from \$820 to \$960/unit.

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|-----------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|--------|-------------------------------|------------|-----|-------------------|------------|-----|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| Calves | | | | | | | | | | | | | | |
| 0-80 | | C | 1 | 9 | 164.0 | - 219.0 | 176.2 | N/Q | 342 | - 438 | 363 | 107 | - 175 | 122 |
| | RS | C | 1 | 11 | 55.0 | - 160.0 | 131.1 | 43 | | | | 41 | - 120 | 95 |
| 80+ | RS | C | 1 | 1 | 154.0 | - 154.0 | 154.0 | N/Q | | | | 154 | - 154 | 154 |
| | | C | 1 | 4 | 220.0 | - 291.0 | 237.8 | N/Q | 440 | - 582 | 476 | 209 | - 291 | 230 |
| | | C | 2 | 3 | 250.0 | - 250.0 | 250.0 | 35 | 500 | - 500 | 500 | 263 | - 263 | 263 |
| | | | | 28 | 55.0 | 291.0 | | | 342 | 582 | | 41 | 291 | |
| Vealer Steer | | | | | | | | | | | | | | |
| 0-200 | RS | C | 1 | 33 | 140.0 | - 257.0 | 223.7 | 33 | | | | 189 | - 501 | 408 |
| 200-280 | | B | 2 | 1 | 251.0 | - 251.0 | 251.0 | N/Q | 465 | - 465 | 465 | 590 | - 590 | 590 |
| | RS | C | 1 | 60 | 180.0 | - 262.0 | 237.1 | 24 | | | | 378 | - 640 | 579 |
| | RS | C | 2 | 28 | 230.0 | - 260.0 | 250.9 | 37 | | | | 540 | - 675 | 607 |
| | FD | C | 2 | 7 | 240.0 | - 242.0 | 241.7 | N/Q | | | | 624 | - 653 | 649 |
| 280-330 | RS | C | 2 | 3 | 259.0 | - 259.0 | 259.0 | N/Q | | | | 751 | - 751 | 751 |
| | | | | 132 | 140.0 | 262.0 | | | 465 | 465 | | 189 | 751 | |
| Vealer Heifer | | | | | | | | | | | | | | |
| 0-200 | RS | C | 1 | 33 | 120.0 | - 235.0 | 175.8 | 46 | | | | 181 | - 447 | 301 |
| | RS | C | 2 | 2 | 198.0 | - 198.0 | 198.0 | N/Q | | | | 327 | - 327 | 327 |
| 200-280 | RS | C | 1 | 26 | 100.0 | - 285.0 | 202.2 | 23 | | | | 230 | - 584 | 449 |
| | FD | C | 2 | 3 | 230.0 | - 230.0 | 230.0 | N/Q | | | | 541 | - 541 | 541 |
| | RS | C | 2 | 16 | 170.0 | - 239.0 | 224.2 | 25 | | | | 468 | - 604 | 563 |
| | | C | 3 | 2 | 251.0 | - 251.0 | 251.0 | N/Q | 483 | - 483 | 483 | 703 | - 703 | 703 |
| 280-330 | FD | C | 2 | 12 | 249.0 | - 253.0 | 250.7 | 20 | | | | 721 | - 759 | 728 |
| | | | | 94 | 100.0 | 285.0 | | | 483 | 483 | | 181 | 759 | |
| Yearling Steer | | | | | | | | | | | | | | |
| 200-280 | RS | C | 1 | 3 | 201.0 | - 201.0 | 201.0 | N/Q | | | | 533 | - 533 | 533 |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | |
|----------------------------|-------------|--------------|-----------|------------|------------------|--------------|-------|------------|-------------------------------|-------|-------------|-------------------|--------|------|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg |
| 280-330 | | B | 3 | 2 | 330.0 | - 341.0 | 335.5 | N/Q | 623 | - 632 | 627 | 1056 | - 1108 | 1082 |
| | FD | C | 1 | 12 | 239.0 | - 292.0 | 274.3 | N/Q | - | - | - | 741 | - 891 | 841 |
| | FD | C | 2 | 13 | 229.0 | - 270.0 | 256.8 | -16 | - | - | - | 698 | - 851 | 805 |
| | | C | 3 | 4 | 300.0 | - 313.0 | 305.8 | 17 | 566 | - 591 | 577 | 990 | - 1033 | 1005 |
| 330-400 | | B | 3 | 5 | 315.0 | - 337.0 | 324.2 | N/Q | 583 | - 624 | 600 | 1105 | - 1229 | 1169 |
| | FD | C | 1 | 6 | 259.0 | - 259.0 | 259.0 | 9 | - | - | - | 894 | - 894 | 894 |
| | RS | C | 1 | 13 | 245.0 | - 259.0 | 257.9 | N/Q | - | - | - | 907 | - 943 | 909 |
| | RS | C | 2 | 2 | 255.0 | - 255.0 | 255.0 | N/Q | - | - | - | 893 | - 893 | 893 |
| | FD | C | 2 | 37 | 235.0 | - 300.0 | 284.1 | 11 | - | - | - | 811 | - 1185 | 1052 |
| | | C | 2 | 2 | 288.0 | - 288.0 | 288.0 | N/Q | 543 | - 543 | 543 | 1080 | - 1080 | 1080 |
| | | C | 3 | 22 | 260.0 | - 340.0 | 308.0 | 6 | 491 | - 630 | 576 | 986 | - 1258 | 1142 |
| 400+ | | B | 3 | 5 | 312.0 | - 324.0 | 317.6 | N/Q | 578 | - 589 | 584 | 1280 | - 1388 | 1349 |
| | | C | 2 | 1 | 275.0 | - 275.0 | 275.0 | N/Q | 519 | - 519 | 519 | 1265 | - 1265 | 1265 |
| | FD | C | 2 | 23 | 258.0 | - 306.0 | 290.0 | 21 | - | - | - | 1234 | - 1530 | 1302 |
| | | C | 3 | 38 | 240.0 | - 316.0 | 289.8 | 5 | 462 | - 596 | 543 | 996 | - 1598 | 1318 |
| | | | | 188 | 201.0 | 341.0 | | 462 | 632 | | 533 | 1598 | | |
| Yearling Heifer | | | | | | | | | | | | | | |
| 280-330 | RS | C | 1 | 3 | 164.0 | - 164.0 | 164.0 | N/Q | - | - | - | 508 | - 508 | 508 |
| | RS | C | 2 | 11 | 191.0 | - 238.0 | 227.9 | 61 | - | - | - | 611 | - 774 | 715 |
| | FD | C | 2 | 23 | 227.0 | - 250.0 | 231.3 | N/C | - | - | - | 704 | - 825 | 728 |
| | | C | 3 | 15 | 239.0 | - 339.0 | 293.6 | 31 | 460 | - 640 | 558 | 789 | - 1102 | 925 |
| 330-400 | | B | 3 | 2 | 300.0 | - 300.0 | 300.0 | N/Q | 556 | - 556 | 556 | 1200 | - 1200 | 1200 |
| | FD | C | 1 | 2 | 191.0 | - 191.0 | 191.0 | N/Q | - | - | - | 669 | - 669 | 669 |
| | FD | C | 2 | 23 | 219.0 | - 278.0 | 246.5 | 16 | - | - | - | 745 | - 1001 | 885 |
| | FD | C | 3 | 2 | 239.0 | - 239.0 | 239.0 | N/Q | - | - | - | 956 | - 956 | 956 |
| | | C | 3 | 43 | 245.0 | - 326.0 | 284.6 | 21 | 471 | - 615 | 541 | 905 | - 1217 | 1073 |
| 400+ | | B | 3 | 2 | 315.0 | - 315.0 | 315.0 | N/Q | 583 | - 583 | 583 | 1276 | - 1276 | 1276 |
| | FD | C | 2 | 5 | 213.0 | - 240.0 | 227.4 | N/Q | - | - | - | 863 | - 972 | 921 |
| | FD | C | 3 | 2 | 272.0 | - 272.0 | 272.0 | N/Q | - | - | - | 1319 | - 1319 | 1319 |
| | | C | 3 | 26 | 245.0 | - 329.0 | 267.7 | 20 | 471 | - 609 | 508 | 1000 | - 1377 | 1160 |
| | | | | 159 | 164.0 | 339.0 | | 460 | 640 | | 508 | 1377 | | |
| Grown Steer | | | | | | | | | | | | | | |
| 500-600 | | C | 3 | 13 | 295.0 | - 299.0 | 295.9 | 32 | 554 | - 567 | 564 | 1711 | - 1770 | 1746 |
| 600-750 | | C | 3 | 2 | 280.0 | - 280.0 | 280.0 | N/Q | 539 | - 539 | 539 | 1736 | - 1736 | 1736 |
| | | | | 15 | 280.0 | 299.0 | | 539 | 567 | | 1711 | 1770 | | |
| Grown Heifer | | | | | | | | | | | | | | |
| 0-540 | | C | 3 | 2 | 255.0 | - 255.0 | 255.0 | N/Q | 500 | - 500 | 500 | 1377 | - 1377 | 1377 |
| | DA | D | 1 | 2 | 175.0 | - 175.0 | 175.0 | N/Q | 365 | - 365 | 365 | 735 | - 735 | 735 |
| 540+ | | C | 3 | 2 | 260.0 | - 280.0 | 270.0 | N/Q | 520 | - 539 | 529 | 1430 | - 1540 | 1485 |
| | | D | 3 | 1 | 255.0 | - 255.0 | 255.0 | N/Q | 510 | - 510 | 510 | 1403 | - 1403 | 1403 |
| | | | | 7 | 175.0 | 280.0 | | 365 | 539 | | 735 | 1540 | | |
| Manufacturing Steer | | | | | | | | | | | | | | |
| 0-540 | | C | 2 | 5 | 160.0 | - 160.0 | 160.0 | N/Q | 308 | - 320 | 314 | 544 | - 768 | 638 |
| | | D | 1 | 12 | 152.0 | - 155.0 | 153.3 | N/Q | 317 | - 337 | 325 | 638 | - 651 | 644 |
| | | | | 17 | 152.0 | 160.0 | | 308 | 337 | | 544 | 768 | | |

| Category Weight | Sale Prefix | Muscle Score | Fat Score | Head | Live Weight c/kg | | | | Estimated Carcase Weight c/kg | | | Estimated \$/Head | | | |
|-----------------|-------------|--------------|-----------|------------|------------------|--------------|---------|------------|-------------------------------|-------|------------|-------------------|--------|-------|-----|
| | | | | | Low | High | Avg | Change | Low | High | Avg | Low | High | Avg | |
| Cows | | | | | | | | | | | | | | | |
| 0-400 | DA | D | 1 | 1 | 142.0 | - 142.0 | 142.0 | N/Q | 346 | - 346 | 346 | 554 | - 554 | 554 | |
| | | D | 1 | 6 | 130.0 | - 149.0 | 136.3 | -13 | 325 | - 363 | 337 | 416 | - 536 | 467 | |
| 400-520 | DA | D | 1 | 30 | 148.0 | - 175.0 | 154.8 | 15 | 352 | - 417 | 373 | 645 | - 840 | 676 | |
| | | D | 1 | 3 | 138.0 | - 140.0 | 138.7 | N/Q | 337 | - 342 | 338 | 630 | - 676 | 661 | |
| | | D | 2 | 23 | 145.0 | - 178.0 | 158.9 | -2 | 345 | - 424 | 382 | 667 | - 845 | 756 | |
| 520+ | DA | D | 3 | 3 | 160.0 | - 188.0 | 178.7 | N/Q | 381 | - 448 | 425 | 720 | - 940 | 867 | |
| | | C | 2 | 1 | 220.0 | - 220.0 | 220.0 | N/Q | 512 | - 512 | 512 | 1210 | - 1210 | 1210 | |
| | | C | 3 | 1 | 244.0 | - 244.0 | 244.0 | N/Q | 567 | - 567 | 567 | 1366 | - 1366 | 1366 | |
| | | D | 1 | 14 | 135.0 | - 149.0 | 144.0 | N/Q | 329 | - 363 | 351 | 783 | - 879 | 832 | |
| | | D | 2 | 18 | 165.0 | - 218.0 | 185.5 | 9 | 393 | - 507 | 438 | 896 | - 1155 | 995 | |
| | | D | 3 | 42 | 178.0 | - 236.0 | 224.0 | 15 | 424 | - 549 | 523 | 983 | - 1392 | 1273 | |
| | | | | 142 | 130.0 | 244.0 | | 325 | 567 | | 416 | 1392 | | | |
| Bulls | | | | | | | | | | | | | | | |
| 0-450 | | B | 2 | 2 | 303.0 | - 303.0 | 303.0 | N/Q | 551 | - 551 | 551 | 1257 | - 1257 | 1257 | |
| | | C | 1 | 3 | 100.0 | - 180.0 | 153.3 | -23 | 192 | - 333 | 286 | 310 | - 621 | 517 | |
| | | RS | C | 1 | 1 | 199.0 | - 199.0 | 199.0 | N/Q | | - | | 667 | - 667 | 667 |
| | | D | 1 | 1 | 144.0 | - 144.0 | 144.0 | N/Q | 267 | - 267 | 267 | 648 | - 648 | 648 | |
| 450-600 | | B | 1 | 1 | 239.0 | - 239.0 | 239.0 | N/Q | 435 | - 435 | 435 | 1171 | - 1171 | 1171 | |
| | | C | 1 | 1 | 180.0 | - 180.0 | 180.0 | N/Q | 333 | - 333 | 333 | 1044 | - 1044 | 1044 | |
| | | D | 1 | 1 | 140.0 | - 140.0 | 140.0 | N/Q | 264 | - 264 | 264 | 672 | - 672 | 672 | |
| 600+ | | B | 1 | 7 | 200.0 | - 319.0 | 226.7 | 10 | 364 | - 570 | 411 | 1360 | - 2265 | 1648 | |
| | | C | 1 | 1 | 150.0 | - 150.0 | 150.0 | N/Q | 278 | - 278 | 278 | 968 | - 968 | 968 | |
| | | | | 18 | 100.0 | 319.0 | | 192 | 570 | | 310 | 2265 | | | |

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross
FD: Feeder DP: Dorper

Disclaimer:

© MLA 2018. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.