

## Detailed Saleyard Report - Cattle

Market information provided by MLA's National Livestock Reporting Service

### Moss Vale

report date 15/05/2019

Yarding 1770  
 Change 223

comparison date 08/05/2019

Numbers increased by over 200 head and the quality was mixed. There were several runs of high yielding prime vealers, reaching up to 356c/kg, some outstanding lines of yearlings suitable for the trade, an increased number of cows, and a large percentage of unfinished cattle. All usual buyers were operating, with market trends significantly cheaper across most categories.

Well finished B muscled vealers were dearer, making from 310c to 356c and the C3 vealers were cheaper, with the steers averaging 269c and the heifers 253c/kg. Medium weight yearling steers suitable for the trade were up to 22c cheaper, receiving from 260c to 338c and the heifer portion going to processors decreased by 29c, averaging 250c/kg. Medium weight feeder steers were back by 25c and those over 400kg were mainly firm to average 287c/kg. Feeder heifers saw price decreases from 5c to 16c/kg. The limited demand from restockers and a decline in quality saw significant price decreases for both steers and heifers.

Heavy grown steers eased by 3c to average 254c and grown heifers were up to 41c cheaper, averaging 207c/kg. Medium weight D2 cows were up to 23c cheaper, making from 122c to 172c and the heavier 3 and 4 score cows eased by 21c, receiving from 155c to 208c/kg. The best heavy weight bull reached 208c/kg.

Category	Sale Weight	Muscle Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
						Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
<b>Calves</b>															
80+	PR	C	1	1	250.0	250.0	250.0	N/Q	490	490	490	250	250	250	
				1	250.0	250.0			490	490		250	250		
<b>Vealer Steer</b>															
0-200	RS	C	1	10	145.0	150.0	148.0	N/Q	-	-	-	232	278	259	
	RS	D	1	13	109.0	150.0	140.5	N/Q	-	-	-	147	255	230	
200-280	FD	C	2	9	240.0	249.0	245.0	-18	-	-	-	540	573	558	
	PR	C	3	2	271.0	290.0	280.5	11	502	537	519	732	769	750	
	RS	C	1	12	150.0	204.0	195.5	N/Q	-	-	-	345	449	431	
	RS	C	2	19	255.0	265.0	258.6	-20	-	-	-	638	717	696	
	RS	D	1	2	174.0	174.0	174.0	N/Q	-	-	-	357	357	357	
280-330	FD	C	2	24	241.0	279.0	256.6	-18	-	-	-	698	837	747	
	PR	B	3	5	310.0	330.0	318.4	12	564	600	579	992	1089	1,032	
	PR	C	3	21	250.0	286.0	269.8	-31	463	530	500	750	926	858	
330+	PR	B	3	4	324.0	356.0	339.5	16	589	636	612	1118	1335	1,220	
	PR	C	3	3	288.0	303.0	293.0	-26	533	551	539	1080	1182	1,114	
				124	109.0	356.0			463	636		147	1335		
<b>Vealer Heifer</b>															
0-200	PR	C	2	2	180.0	180.0	180.0	N/Q	346	346	346	288	288	288	
	RS	C	1	1	105.0	105.0	105.0	N/Q	-	-	-	200	200	200	
	RS	D	1	29	120.0	155.0	142.0	N/Q	-	-	-	192	302	231	
200-280	FD	C	1	2	160.0	160.0	160.0	N/Q	-	-	-	384	384	384	
	FD	C	2	13	190.0	230.0	207.7	-21	-	-	-	510	587	548	
	PR	C	3	7	210.0	242.0	229.1	N/Q	404	457	435	564	678	601	
	RS	C	1	5	159.0	170.0	161.2	N/Q	-	-	-	349	358	356	
	RS	C	2	42	170.0	220.0	191.1	-30	-	-	-	407	616	497	
	RS	D	1	2	80.0	80.0	80.0	N/Q	-	-	-	184	184	184	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
280-330	FD	C	2	42	200.0	- 235.0	220.1	-25	-	-	-	604	- 752	660
	FD	C	3	2	210.0	- 210.0	210.0	N/Q	-	-	-	651	- 651	651
	PR	C	3	24	225.0	- 319.0	253.7	-41	425	- 591	477	675	- 1021	779
330+	PR	C	3	6	230.0	- 294.0	249.0	-54	434	- 544	465	828	- 985	873
				177	80.0	319.0			346	591		184	1021	
Yearling Steer														
200-280	RS	C	1	3	158.0	- 158.0	158.0	N/Q	-	-	-	442	- 442	442
	RS	C	2	1	180.0	- 180.0	180.0	N/Q	-	-	-	495	- 495	495
	RS	D	1	1	160.0	- 160.0	160.0	N/Q	-	-	-	408	- 408	408
	RS	D	2	1	170.0	- 170.0	170.0	N/Q	-	-	-	425	- 425	425
280-330	FD	C	2	6	280.0	- 280.0	280.0	31	-	-	-	924	- 924	924
	PR	C	3	1	280.0	- 280.0	280.0	-12	519	- 519	519	924	- 924	924
	RS	C	2	1	185.0	- 185.0	185.0	N/Q	-	-	-	546	- 546	546
	RS	D	1	2	179.0	- 179.0	179.0	N/Q	-	-	-	528	- 528	528
	RS	D	2	8	180.0	- 180.0	180.0	N/Q	-	-	-	576	- 585	582
330-400	FD	C	2	82	230.0	- 289.0	272.8	-25	-	-	-	782	- 1128	1,000
	FD	D	2	1	170.0	- 170.0	170.0	N/Q	-	-	-	612	- 612	612
	PR	B	3	5	310.0	- 338.0	329.2	6	564	- 615	599	1116	- 1251	1,202
	PR	C	3	12	260.0	- 328.0	286.6	-22	481	- 607	531	975	- 1184	1,066
	RS	C	1	2	187.0	- 187.0	187.0	N/Q	-	-	-	692	- 692	692
	RS	C	2	4	240.0	- 240.0	240.0	-20	-	-	-	816	- 816	816
400+	FD	C	2	55	184.0	- 309.0	287.0	-2	-	-	-	773	- 1327	1,201
	PR	C	3	2	286.0	- 286.0	286.0	-10	530	- 530	530	1273	- 1273	1,273
	PR	D	2	16	120.0	- 120.0	120.0	N/Q	231	- 231	231	504	- 504	504
	RS	D	2	3	149.0	- 169.0	155.7	N/Q	-	-	-	678	- 752	703
				206	120.0	338.0			231	615		408	1327	
Yearling Heifer														
200-280	FD	C	2	2	210.0	- 210.0	210.0	N/Q	-	-	-	588	- 588	588
	RS	C	2	1	170.0	- 170.0	170.0	N/Q	-	-	-	459	- 459	459
	RS	D	2	1	160.0	- 160.0	160.0	N/Q	-	-	-	432	- 432	432
280-330	FD	C	1	1	180.0	- 180.0	180.0	N/Q	-	-	-	531	- 531	531
	FD	C	2	14	180.0	- 215.0	202.4	-35	-	-	-	576	- 693	637
	PR	C	3	8	210.0	- 242.0	228.8	-24	404	- 457	436	683	- 774	732
	RS	C	1	1	155.0	- 155.0	155.0	N/Q	-	-	-	442	- 442	442
	RS	C	2	5	127.0	- 228.0	207.8	N/Q	-	-	-	394	- 730	662
330-400	FD	C	2	58	150.0	- 258.0	235.1	-5	-	-	-	503	- 1019	862
	PR	C	3	28	210.0	- 272.0	250.7	-29	396	- 504	472	756	- 1047	888
	RS	C	2	17	169.0	- 210.0	184.0	N/Q	-	-	-	592	- 725	647
400+	FD	C	2	19	226.0	- 262.0	249.4	-16	-	-	-	915	- 1166	1,075
	PR	C	3	13	220.0	- 262.0	258.8	-1	415	- 504	489	990	- 1245	1,212
				168	127.0	272.0			396	504		394	1245	
Grown Steer														
400-500	FD	C	2	5	210.0	- 210.0	210.0	-37	-	-	-	1019	- 1019	1,019

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
500-600	PR	C	3	12	210.0	266.0	216.8	N/Q	389	484	401	998	1277	1,026
	PR	C	2	8	220.0	222.0	221.0	N/Q	407	411	409	1254	1310	1,282
	PR	C	3	6	268.0	285.0	273.7	10	496	528	507	1501	1625	1,542
600-750	PR	C	2	2	184.0	184.0	184.0	N/Q	341	341	341	1214	1214	1,214
	PR	C	3	25	220.0	285.0	254.6	-3	407	518	466	1418	2052	1,613
				58	184.0	285.0			341	528		998	2052	
Grown Heifer														
0-540	FD	C	2	12	190.0	205.0	195.5	N/Q	-	-	-	874	974	910
	FD	D	2	7	205.0	205.0	205.0	N/Q	-	-	-	923	923	923
	PR	C	2	1	180.0	180.0	180.0	-52	346	346	346	810	810	810
	PR	C	3	40	160.0	240.0	207.5	-41	308	453	395	759	1152	1,044
	PR	D	2	6	122.0	178.0	159.3	N/Q	244	371	329	464	712	629
	PR	D	3	8	205.0	212.0	209.4	-13	394	408	403	869	882	874
				74	122.0	240.0			244	453		464	1152	
Manufacturing Steer														
0-540	PR	D	1	2	93.0	127.0	110.0	N/Q	186	254	220	223	470	347
				2	93.0	127.0			186	254		223	470	
Cows														
0-400	PR	D	2	3	135.0	135.0	135.0	-23	293	293	293	540	540	540
	RS	D	1	16	158.0	158.0	158.0	18	-	-	-	632	632	632
400-520	DA	D	2	2	148.0	148.0	148.0	-7	-	-	-	755	755	755
	PR	D	1	2	125.0	125.0	125.0	-25	272	272	272	563	563	563
	PR	D	2	131	122.0	172.0	145.5	-23	271	374	317	500	860	659
	PR	D	3	18	155.0	192.0	176.6	-23	337	409	382	775	910	868
	PR	D	4	4	168.0	168.0	168.0	N/Q	365	365	365	773	773	773
	PR	D	4	4	168.0	168.0	168.0	N/Q	-	-	-	958	958	958
520+	DA	D	2	1	168.0	168.0	168.0	N/Q	-	-	-	958	958	958
	PR	D	3	64	155.0	208.0	182.9	-21	337	435	392	829	1180	1,006
	PR	D	4	36	188.0	208.0	195.5	-20	396	436	415	1034	1268	1,110
				277	122.0	208.0			271	436		500	1268	
Bulls														
0-450	PR	B	1	4	170.0	180.0	172.5	N/Q	304	333	311	594	765	722
	PR	C	1	3	200.0	200.0	200.0	N/Q	370	370	370	780	780	780
	PR	C	2	2	170.0	170.0	170.0	N/Q	309	309	309	604	604	604
450-600	PR	C	1	4	149.0	170.0	164.8	N/Q	276	304	297	715	935	880
600+	PR	B	1	3	190.0	205.0	198.3	-3	339	360	350	1549	1800	1,707
	PR	B	2	8	180.0	208.0	194.3	-10	316	365	341	1485	2080	1,663
	PR	C	1	1	170.0	170.0	170.0	-3	309	309	309	1343	1343	1,343
	PR	C	2	1	180.0	180.0	180.0	N/Q	321	321	321	1458	1458	1,458
				26	149.0	208.0			276	370		594	2080	

DA - Dairy, FD - Feeder, GF - Grainfed, PR - Processor, LE - Live Export, PC - Pastoral Cattle, PT - PTIC, RS - Restocker

Disclaimer:

© MLA 2019. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.

